Rime Wall Lamp

"With the Rime Wall Lamp, we wanted to create a simple design with a glass shape, giving it a soft expression while making its top and pendant tube as subtle as possible. We were inspired by the shape of acorns for its subtle lines while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for light to shine slightly through with a refined touch. The gentle shape of the light is complemented by its elegantly sturdy aluminum arm for a characterful contrast."



— TAF Studio

Designed by TAF Studio

About the designer TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson

and Mattias Ståhlbom. The duo works within product and interior design.

Environment Indoor

Country of Production China

Preassembled Yes.

Description The Rime Wall Lamp brings an elegant perspective to the glass light through its semi-transparent

glass that has been sandblasted for a refined expression. The design features a characteristic form, inspired by the shape of acorns, complemented by the geometric shape of its arm. The Rime Wall Lamp features a dimmability light source, allowing for its user to adjust the light intensity to their

individual needs, be it in the home, a restaurant or a hotel room.

Material Mouth-blown glass shade. Wall bracket in aluminum, pressure die-casted and powder

coated.

Wall bracket in steel and chrome plated. PVC cord.

Cleaning & Care Clean with a moist cloth. If necessary use a little dish soap on the cloth. Always switch off electricity

supply before cleaning.

Cord length 250 cm / 98.4"

Light source included Yes

Dimmable function Yes.

Additional information TRIAC dimmer.

The Rime Wall Lamp is made in a unique semi-transparent glass that has been sandblasted. Included in the box with the Rime Wall Lamp is a set of gloves that we recommend worn when mounting the design to care for the unique surface of the material. If the gloves are not worn when

mounting the design, fingerprints might be seen on the surface of the design.

Installation The power cord of the Rime Wall Lamp can be routed backwards from the lamp through the

mounting surface. Please note that the base of the lamp is smaller than a standard junction box and that the lamp is not designed for direct installation on the top of the junction box. When hardwiring, we recommend mounting onto a false wall, onto a headboard or using a trim plate.

Please refer to local safety requirements for this type of installation.



Rime Wall Lamp

Dimensions

 $\begin{array}{lll} \mbox{Length:} & 23\mbox{ cm}\,/\,9.1" \\ \mbox{Height:} & 16,2\mbox{ cm}\,/\,6.4" \\ \mbox{Width:} & 12\mbox{ cm}\,/\,4.7" \\ \mbox{Cord Length:} & 250\mbox{ cm}\,/\,98.4" \end{array}$



Ready-to-ship

White Black Grey Orange



Lamp rating

 $\begin{tabular}{ll} \mbox{Voltage} & 220 - 240 \mbox{V} \\ \mbox{Frequency} & 50/60 \mbox{Hz} \\ \mbox{IP Rating} & IP 20 \\ \mbox{Classification} & Class II \\ \mbox{Socket} & 1 \times G9 \mbox{Max}. 25 \mbox{ W} \\ \end{tabular}$

Light source specification

 Item
 G9 Frosted LED

 Watt
 3W

 Lumen
 190 lm/W

 Lumen Maintenance
 20.000h

 Kelvin
 2.700K

 CRI
 90

 Dimmable
 Yes

Energy Label





Rime Wall Lamp

Tests, Labels δ Certifications

Electromagnetic Compatibilty

Electromagnetic Compatibility (EMC)

Safety & Regulations

CCC

ECO Design Directive Low Voltage Directive 2014/35 EU (LVD)

Regulatory Compliance Mark (RCM)

Restriction of Hazardous Substances Directive (RoHs) Waste of Electronic and Electrical Equipment (WEEE)











Explore Assets

DOWNLOADSITE

